



CERTIFICATE

No. FUR BSC 25-09

19 March 2025

Vilnius

Issued to **UAB NARBUTAS INTERNATIONAL**
Address **Eitminių St. 3, 12113 Vilnius, Lithuania**
Product name **Office furniture. Work tables ROUND**
Manufacturer (name) **UAB NARBUTAS INTERNATIONAL**
Manufacturer address **Eitminių St. 3, 12113 Vilnius, Lithuania**
Performance **EN 527-1:2011
LST EN 527-2:2016+A1:2019
EN 1730:2012**

Certification has been made according to the certification scheme 1b

Certificate has been issued according to the VsI FURNITEST Furniture testing centre testing report No. BBC 25-048, dated February 26, 2025

The certificate is valid till 19 March 2027

First certificate issued 29 January 2021

Director

Viešoji įstaiga



Jadvyga Mickienė

List of valid certificates: www.furnitest.com/furniture-certification

ANNEX A

Table 1. List of *Office furniture. Work tables ROUND* to the Certificate No. FUR BSC 25-09

Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code	
		Width	Depth	Height					
	Desk	1200	700	740	-	Rounded	-	DBA124	
		1400	700	740			-	DBA144	
		1600	700	740			-	DBA164	
		1800	700	740			-	DBA184	
		1200	800	740			-	DBA129	
		1400	800	740			-	DBA149	
		1600	800	740			-	DBA169	
		1800	800	740			-	DBA189	
		1200	700	740		Rectangular	-	DAA124	
		1400	700	740			-	DAA144	
		1600	700	740			-	DAA164	
		1800	700	740			-	DAA184	
		1200	800	740			-	DAA129	
		1400	800	740			-	DAA149	
		1600	800	740			-	DAA169	
		1800	800	740			-	DAA189	
	Desk with a cut-out for wire management	1200	700	740	Grommet	Rounded	-	DBA125	
		1400	700	740			-	DBA145	
		1600	700	740			-	DBA165	
		1800	700	740			-	DBA185	
		1200	800	740			-	DBA12A	
		1400	800	740			-	DBA14A	
		1600	800	740			-	DBA16A	
		1800	800	740			-	DBA18A	
		1200	700	740		Rectangular	-	DAA125	
		1400	700	740			-	DAA145	
		1600	700	740			-	DAA165	
		1800	700	740			-	DAA185	
		1200	800	740			-	DAA129	
		1400	800	740			-	DAA149	
		1600	800	740			-	DAA169	
		1800	800	740			-	DAA189	
		1200	700	740		Scallop	Rounded	-	DBA126
		1400	700	740				-	DBA146
		1600	700	740				-	DBA166
		1800	700	740				-	DBA186
		1200	800	740				-	DBA12B
		1400	800	740				-	DBA14B
		1600	800	740				-	DBA16B
		1800	800	740				-	DBA18B

Table 1. (continued)

Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code
		Width	Depth	Height				
		1200	700	740		Rectangular	-	DAA126
		1400	700	740			-	DAA146
		1600	700	740			-	DAA166
		1800	700	740			-	DAA186
		1200	800	740			-	DAA12B
		1400	800	740			-	DAA14B
		1600	800	740			-	DAA16B
		1800	800	740			-	DAA18B
		 	Desk with sliding desktop	1200			700	743
1400	700			743	+	DBA147		
1600	700			743	+	DBA167		
1200	800			743	+	DBA12C		
1400	800			743	+	DBA14C		
1600	800			743	+	DBA16C		
Rectangular	1200			700	743	+	DAA127	
	1400			700	743	+	DAA147	
	1600			700	743	+	DAA167	
	1200			800	743	+	DAA12C	
	1400			800	743	+	DAA14C	
	1600			800	743	+	DAA16C	
 	Desk with sliding desktop with a cut-out for wire management	1200	700	743	Scallop	Rounded	+	DBA128
		1400	700	743			+	DBA148
		1600	700	743			+	DBA168
		1200	800	743			+	DBA12D
		1400	800	743			+	DBA14D
		1600	800	743			+	DBA16D
		Rectangular	1200	700		743	+	DAA128
			1400	700		743	+	DAA148
			1600	700		743	+	DAA168
			1200	800		743	+	DAA12D
			1400	800		743	+	DAA14D
			1600	800		743	+	DAA16D

Table 1. (continued)

Table 1 (continued)								
Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code
		Width	Depth	Height				
	Single row 2-desk bench	2400	700	740	-	Rounded	-	DBS24G
		2800	700	740			-	DBS28G
		3200	700	740			-	DBS32G
		3600	700	740			-	DBS36G
		2400	800	740			-	DBS243
		2800	800	740			-	DBS283
		3200	800	740			-	DBS323
		3600	800	740			-	DBS363
		2400	700	740		Rectangular	-	DAS24G
		2800	700	740			-	DAS28G
		3200	700	740			-	DAS32G
		3600	700	740			-	DAS36G
		2400	800	740			-	DAS243
		2800	800	740			-	DAS283
		3200	800	740			-	DAS323
		3600	800	740			-	DAS363
 	Desk with a cut-out for wire management	2400	700	740	Grommet	Rounded	-	DBS24H
		2800	700	740			-	DBS28H
		3200	700	740			-	DBS32H
		3600	700	740			-	DBS36H
		2400	800	740			-	DBS244
		2800	800	740			-	DBS284
		3200	800	740			-	DBS324
		3600	800	740			-	DBS364
		2400	700	740		Rectangular	-	DAS24H
		2800	700	740			-	DAS28H
		3200	700	740			-	DAS32H
		3600	700	740			-	DAS36H
		2400	800	740			-	DAS244
		2800	800	740			-	DAS284
		3200	800	740			-	DAS324
		3600	800	740			-	DAS364

Table 1. (continued)

Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code
		Width	Depth	Height				
	Desk with a cut-out for wire management	2400	700	740	Scalloped	Rounded	-	DBS24J
		2800	700	740			-	DBS28J
		3200	700	740			-	DBS32J
		3600	700	740			-	DBS36J
		2400	800	740			-	DBS245
		2800	800	740			-	DBS285
		3200	800	740			-	DBS325
		3600	800	740			-	DBS365
		2400	700	740		Rectangular	-	DAS24J
2800		700	740	-			DAS28J	
3200		700	740	-			DAS32J	
3600		700	740	-			DAS36J	
2400		800	740	-			DAS245	
2800		800	740	-			DAS285	
3200		800	740	-			DAS325	
3600		800	740	-			DAS365	
	2-desk bench	1200	1440	740	-	Rounded	-	DBS123
		1400	1440	740			-	DBS143
		1600	1440	740			-	DBS163
		1800	1440	740			-	DBS183
		1200	1640	740			-	DBS128
		1400	1640	740			-	DBS148
		1600	1640	740			-	DBS168
		1800	1640	740			-	DBS188
		1200	1440	740		Rectangular	-	DAS123
1400		1440	740	-			DAS143	
1600		1440	740	-			DAS163	
1800		1440	740	-			DAS183	
1200		1640	740	-			DAS128	
1400		1640	740	-			DAS148	
1600		1640	740	-			DAS168	
1800		1640	740	-			DAS188	

Table 1. (continued)

Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code
		Width	Depth	Height				
	2-desk bench with cut-outs for wire management	1200	1440	740	Grommet	Rounded	-	DBS124
		1400	1440	740			-	DBS144
		1600	1440	740			-	DBS164
		1800	1440	740			-	DBS184
		1200	1640	740			-	DBS129
		1400	1640	740			-	DBS149
		1600	1640	740			-	DBS169
		1800	1640	740			-	DBS189
		1200	1440	740		Rectangular	-	DAS124
		1400	1440	740			-	DAS144
		1600	1440	740			-	DAS164
		1800	1440	740			-	DAS184
		1200	1640	740			-	DAS129
		1400	1640	740			-	DAS149
		1600	1640	740			-	DAS169
		1800	1640	740			-	DAS189
		1200	1440	740	Scallop	Rounded	-	DBS125
		1400	1440	740			-	DBS145
		1600	1440	740			-	DBS165
		1800	1440	740			-	DBS185
		1200	1640	740			-	DBS12A
		1400	1640	740			-	DBS14A
		1600	1640	740			-	DBS16A
		1800	1640	740			-	DBS18A
		1200	1440	740		Rectangular	-	DAS125
		1400	1440	740			-	DAS145
		1600	1440	740			-	DAS165
		1800	1440	740			-	DAS185
		1200	1640	740			-	DAS12A
		1400	1640	740			-	DAS14A
		1600	1640	740			-	DAS16A
		1800	1640	740			-	DAS18A
	2-Desk with sliding desktop	1200	1440	740	-	Rounded	+	DBS126
		1400	1440	740			+	DBS146
		1600	1440	740			+	DBS166
		1200	1640	740			+	DBS12B
		1400	1640	740			+	DBS14B
		1600	1640	740			+	DBS16B

Table 1. (continued)

Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code
		Width	Depth	Height				
	2-Desk with sliding desktop	1200	1440	740		Rectangular	+	DAS126
		1400	1440	740			+	DAS146
		1600	1440	740			+	DAS166
		1200	1640	740			+	DAS12B
		1400	1640	740			+	DAS14B
		1600	1640	740			+	DAS16B
	2-desk bench with sliding desktops and cut-outs (scallop) for wire management	1200	1440	740	Scallop	Rounded	+	DBS127
		1400	1440	740			+	DBS147
		1600	1440	740			+	DBS167
		1200	1640	740			+	DBS12C
		1400	1640	740			+	DBS14C
		1600	1640	740			+	DBS16C
		Rectangular	1200	1440		740	+	DAS127
			1400	1440		740	+	DAS147
			1600	1440		740	+	DAS167
			1200	1640		740	+	DAS12C
			1400	1640		740	+	DAS14C
			1600	1640		740	+	DAS16C
 	4-desk bench	2400	1440	740	-	Rounded	-	DBS246
		2800	1440	740			-	DBS286
		3200	1440	740			-	DBS326
		3600	1440	740			-	DBS366
		2400	1640	740			-	DBS24B
		2800	1640	740			-	DBS28B
		3200	1640	740			-	DBS32B
		3600	1640	740			-	DBS36B
		Rectangular	2400	1440		740	-	DAS246
			2800	1440		740	-	DAS286
			3200	1440		740	-	DAS326
			3600	1440		740	-	DAS366
			2400	1640		740	-	DAS24B
			2800	1640		740	-	DAS28B
			3200	1640		740	-	DAS32B
			3600	1640		740	-	DAS36B

Table 1. (continued)

Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code
		Width	Depth	Height				
	4-desk bench with cut-outs for wire management	2400	1440	740	Grommet	Rounded	-	DBS247
		2800	1440	740			-	DBS287
		3200	1440	740			-	DBS327
		3600	1440	740			-	DBS367
		2400	1640	740			-	DBS24C
		2800	1640	740			-	DBS28C
		3200	1640	740			-	DBS32C
		3600	1640	740			-	DBS36C
		2400	1440	740		Rectangular	-	DAS247
		2800	1440	740			-	DAS287
		3200	1440	740			-	DAS327
		3600	1440	740			-	DAS367
		2400	1640	740			-	DAS24C
		2800	1640	740			-	DAS28C
		3200	1640	740			-	DAS32C
		3600	1640	740			-	DAS36C
		2400	1440	740	Scallop	Rounded	-	DBS248
		2800	1440	740			-	DBS288
		3200	1440	740			-	DBS328
		3600	1440	740			-	DBS368
		2400	1640	740			-	DBS24D
		2800	1640	740			-	DBS28D
		3200	1640	740			-	DBS32D
		3600	1640	740			-	DBS36D
		2400	1440	740		Rectangular	-	DAS248
		2800	1440	740			-	DAS288
		3200	1440	740			-	DAS328
		3600	1440	740			-	DAS368
		2400	1640	740			-	DAS24D
		2800	1640	740			-	DAS28D
		3200	1640	740			-	DAS32D
		3600	1640	740			-	DAS36D
	4-Desk with sliding desktop	2400	1440	743	-	Rounded	+	DBS249
		2800	1440	743			+	DBS289
		3200	1440	743			+	DBS329
		2400	1640	743			+	DBS24E
		2800	1640	743			+	DBS28E
		3200	1640	743			+	DBS32E

Table 1. (continued)

Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code
		Width	Depth	Height				
	4-Desk with sliding desktop	2400	1440	743		Rectangular	+	DAS249
		2800	1440	743			+	DAS289
		3200	1440	743			+	DAS329
		2400	1640	743			+	DAS24E
		2800	1640	743			+	DAS28E
		3200	1640	743			+	DAS32E
	4-desk bench with sliding desktops and cut-outs (scallop) for wire management	2400	1440	743	Scallop	Rounded	+	DBS24A
		2800	1440	743			+	DBS28A
		3200	1440	743			+	DBS32A
		2400	1640	743			+	DBS24F
		2800	1640	743			+	DBS28F
		3200	1640	743			+	DBS32F
	4-desk bench with sliding desktops and cut-outs (scallop) for wire management	2400	1440	743		Rectangular	+	DAS24A
		2800	1440	743			+	DAS28A
		3200	1440	743			+	DAS32A
		2400	1640	743			+	DAS24F
		2800	1640	743			+	DAS28F
		3200	1640	743			+	DAS32F
	Supplementary unit for single row 2-desk bench	1200	700	740	-	Rectangular	-	DAD12Z
		1400	700	740			-	DAD14Z
		1600	700	740			-	DAD16Z
		1800	700	740			-	DAD18Z
		1200	800	740			-	DAD124
		1400	800	740			-	DAD144
		1600	800	740			-	DAD164
		1800	800	740			-	DAD184
	Supplementary unit for single row 2-desk bench with a cut-out for wire management	1200	700	740	Grommet	Rectangular	-	DAD12X
		1400	700	740			-	DAD14X
		1600	700	740			-	DAD16X
		1800	700	740			-	DAD18X
		1200	800	740			-	DAD125
		1400	800	740			-	DAD145
		1600	800	740			-	DAD165
		1800	800	740			-	DAD185
	Supplementary unit for single row 2-desk bench with a cut-out for wire management	1200	700	740	Scallop	Rectangular	-	DAD12Y
		1400	700	740			-	DAD14Y
		1600	700	740			-	DAD16Y
		1800	700	740			-	DAD18Y
		1200	800	740			-	DAD126
		1400	800	740			-	DAD146
		1600	800	740			-	DAD166
		1800	800	740			-	DAD186

Table 1. (end)

Example	Description	Dimensions, mm			Cut-out	Desktop (corners)	Sliding	Item's code
		Width	Depth	Height				
	Supplementary unit for desk benches	1200	1440	740		Rectangular	-	DAD127
		1400	1440	740			-	DAD147
		1600	1440	740			-	DAD167
		1800	1440	740			-	DAD187
		1200	1640	740			-	DAD12C
		1400	1640	740			-	DAD14C
		1600	1640	740			-	DAD16C
		1800	1640	740			-	DAD18C
	Supplementary unit for desk benches with cut-out for wire management	1200	1440	740	Grommet	Rectangular	-	DAD128
		1400	1440	740			-	DAD148
		1600	1440	740			-	DAD168
		1800	1440	740			-	DAD188
		1200	1640	740			-	DAD12D
		1400	1640	740			-	DAD14D
		1600	1640	740			-	DAD16D
		1800	1640	740			-	DAD18D
	Supplementary unit for desk benches with cut-out for wire management	1200	1440	740	Scallop	Rectangular	-	DAD129
		1400	1440	740			-	DAD149
		1600	1440	740			-	DAD169
		1800	1440	740			-	DAD189
		1200	1640	740			-	DAD12E
		1400	1640	740			-	DAD14E
		1600	1640	740			-	DAD16E
		1800	1640	740			-	DAD18E
	Supplementary unit for desk benches with sliding dektops	1200	1440	743	-	Rectangular	-	DAD12A
		1400	1440	743			-	DAD14A
		1600	1440	743			-	DAD16A
		1200	1640	743			-	DAD12F
		1400	1640	743			-	DAD14F
		1600	1640	743			-	DAD16F
	Supplementary unit for desk benches with sliding dektops and cut-outs for wire management	1200	1440	743	Scallop	Rectangular	-	DAD12B
		1400	1440	743			-	DAD14B
		1600	1440	743			-	DAD16B
		1200	1640	743			-	DAD12G
		1400	1640	743			-	DAD14G
		1600	1640	743			-	DAD16G