Table 1. *(end)*

UNI SLIDE					
Example	**Description**	**Dimensions, mm**		**Height**	
		Width	**Depth**	2H 754mm	3H 1120mm
	Cabinet with sliding doors. Carcass and shelves are made from 18 mm thickness finished particle board. Height adjustable shelves (removable). Shelves load capacity - 25 kg. Handles are made from 60 mm wide metal profile; length matches the door height. Sliding doors made from 18 mm thickness finished particle board, plastic (ABS) runners. Cylinder lock.	800	425	X2S082	X3S082
		1200	425	X2S122	X3S122

Available bases:

Example	**Description**	**Dimensions, mm**			**Product**
		Wide	**Depth**	**Height**	
	Plinth. Plinth is made of from 18 mm thickness finished particle board. With plastic height levelling feets.	800	425	80	X0Z080
		1200	425	80	X0Z120
	Metal legs (4 pcs.). Legs are made from 40x40x2 mm rectangular tube, welded to the supporting plate. Plastic height levelling feets.	600 - 1000*	-	80	X0Z004
	Metal legs (4 pcs.) with center support. Legs are made from 40x40x2 mm rectangular tube, welded to the supporting plate. Plastic height levelling feet. For 1200 mm or wider cabinets.	1200*	-	80	X0Z005
	Plastic height levelling legs.	600 - 1000*	-	23	X0Z013
	Plastic height levelling legs (5 pcs., +10mm). For 1200 mm or wider cabinets.	1200*	-	23	X0Z014
	Plastic castors (4 pcs.), Ø80 mm. Two castors with stopper brakes. Load capacity - 100kg per castor. Only for 800mm wide cabinets, not higher than 3 shelves level.	800*	-	90	X0Z006
	Plastic castors (5 pcs.), Ø80 mm. Two castors with stopper brakes. Load capacity - 100kg per castor. For 1000-1600 mm wide cabinets, not higher than 3 shelfes level.	1000-1600*	-	90	X0Z007

*For specified cabinet width, mm

LIETUVOS RESPUBLIKA
Viešoji įstaiga
"FURNITEST"
VILNIUS